IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named Applicant: Iwamura)	Art Unit: 2619
)	
Serial No.: 10/790,496)	Examiner: Phunkulh
77.1 37.1.1.0007)	somesia on
Filed: March 1, 2004)	50T5713.02
For: SYSTEM AND METHOD FOR MULTI-LINK)	November 11, 2008
COMMUNICATION IN HOME NETWORK	ì	750 B STREET, Suite 3120
	í	San Diego, CA 92101
	j .	6 9 9 9 9 9 9 9 9 9 9

PRE-APPEAL BRIEF REQUEST FOR REVIEW

Commissioner for Patents Alexandria, VA

Dear Sir:

The issues Applicant would like to have reviewed prior to the filing of an appeal brief are as follows.

1. In the Office Action dated September 26, 2008, Claims 1-8 have been rejected under 35 U.S.C. §112, first paragraph for lacking written description of "the server or the component determining" the path, but that allegation is patently mistaken. See original Claim 25, for instance ("at least one of: a server, and a component, determines which path to use for communication based at least in part on an occupancy ratio"). If "at least one of" the server and component determines the path, it strains credulity to assert that the skilled artisan would fail to recognize that Applicant possessed one or both components making the determination.

1168-11 LPAB

CASE NO.: 50T5713.02 PATENT
Serial No.: 10/790,496 Filed: March 1, 2004

November 11, 2008

Page 2

2. Claims 1-6, 9-15, and 18-23, of which Claims 1, 9, and 18 are independent, have been rejected

under 35 U.S.C. §102 as being anticipated by Falvo et al., USPP 2003/0140343. The Office Action correctly

alleges that in Falvo, "the display devices are connectable to WLAN bridge 330 via either twisted pair or via

RF link, see figure 5 (sic, figure 3)" (emphasis mine). Claim 1, however, requires that a component be

configured for communicating with the server along a wired path and also along a wireless path, and that the

server and/or component determines which path to use for communication based on at least one of; a

component preference, a bandwidth capability, an occupancy ratio. Thus, since no one display component in

Falvo appears to communicate over both a wired and a wireless link as required by Claim 1, there is no reason

to undertake the determination in Claim 1 of selecting which path to use, much less to undertake the

determination using the specific parameters claimed, and not surprisingly Falvo does not teach anything of

the sort.

Indeed, Falvo's description of the relied-upon components in figure 3 bears this out:

"[0048] FIG. 3 shows a digital cable TV system 300 including an in-home network including wireless display (remote wireless) devices 310, 315 and wired display devices 320, 325 used to create reminder and intercom messages using a wireless local area network (WLAN) 330

that is bridged either to a cable modem within an STB 335 or a stand-alone cable modem (not shown) to allow access to the Internet 340. Data received from the Internet 340 is primarily routed from the cable modem in STB 335 to the display devices 310, 315, 320, 325 through the WLAN Bridge 330. The display devices 310, 315, 320, 325 support both HomeRF and

802.11b wireless protocols."

Thus, as unambiguously taught by the reference, each of the relied-upon components communicates

with the WLAN bridge 330 through a wired link, or a wired link, but not both, since apparently no component

is configured for multi-link communication. Thus, there is no possible reason to modify Falvo to make a

1168-111.PAB

PATENT Filed: March 1, 2004

CASE NO.: 50T5713.02 Serial No.: 10/790,496

November 11, 2008

Page 3

choice between two links, much less in the ways variously recited in the claims. The error in the rejections

could not be clearer.

3. Claims 7, 8, 16, 17, 24, and 25 have been rejected under 35 U.S.C. §103 as being unpatentable

over Falvo et al. Indeed, the Office Action admits on the top of page 8 that Falvo fails to disclose

determining a path to use based on bandwidth or occupancy ratio, but without any support whatsoever alleges

that doing so would have been obvious "to improve the system's performance by avoiding congestion on the

link." Not only is this unsupported by evidence of record, but since Falvo's display devices each communicate

using one and one only one path (wired or wireless), there is no reason to modify Falvo to make a selection

that is not possible given Falvo's architecture.

The remarks above have been responded to on page 8 of the Office Action with a repeated allegation

that the WLAN bridge 330 of Falvo selects a path based on a preferred communication path, e.g., a twisted

pair for devices 320 and 325 and a wireless link for devices 310 and 315, pointing to paragraphs 48-51 for

further support. However, as exemplified above by paragraph 48, no choice of which of two paths to use

between the bridge 330 and any single device is ever made in Falvo since each device communicates with the

bridge using one and only one link.

"The name of the game is the claim". Claim 1 requires a component configured for communicating

with the server along a wired path and also (N.B., the same component) for communicating with the server

along a wireless path. That limitation is not in Falvo. Then, according to Claim 1 server and/or the

component determines which path (N.B., of the two paths between the same component and the server) to

1168-111.PAB

CASE NO.: 50T5713.02 Serial No.: 10/790,496

November 11, 2008

Page 4

PATENT Filed: March 1, 2004

use for communication. That limitation is not in Falvo. The bridge 330 makes no decision as to which of

two paths to a component to use because no component communicates with the bridge over more than one

path.

But Claim 1 is not done distinguishing over Falvo. It further requires that the determination (which

is not in Falvo) must be based on a component preference or a bandwidth capability or an occupancy ratio

(none of which have any relevance to Falvo).

Respectfully submitted,

John L. Rogitz

Registration No. 33,549

Attorney of Record

750 B Street, Suite 3120

San Diego, CA 92101

Telephone: (619) 338-8075

JLR:jg

1168-111.PAB